



MaharNet

How To Change WiFi Password



YGN Hot line : 09770333373




MDY Hot line : 09770333383

ONU Model - EG8145V5

How to change Wi-fi password

ဝိုင်ဖိုင် စကားဝှက် ပြောင်းလဲပုံအဆင့်ဆင့်


ပထမဦးစွာ မိမိအိမ်တွင်တပ်ဆင်ထားသော Wi-fi အား ချိတ်ဆက်ပါ။



မိမိအိမ်တွင် တပ်ဆင်ထားသော wi-fi အမည်။

စာမျက်နှာ ၃/၇

ကြိုက်နှစ်သက်ရာ အင်တာနက် Browser သို့ဝင်ရောက်၍ Search Bar တွင် **192.168.100.1** သို့ မဟုတ် **192.168.1.1** ရိုက်ထည့်ဝင်ရောက်ပါ။



စာမျက်နှာ ၄/၇

သက်ဆိုင်ရာ အင်တာနက်စာမျက်နှာသို့ရောက်လျှင်

User name : root

Password: adminHW

ဖြင့် Login ဝင်ရောက်ပါ။



192.168.100.1 80%

EG8145V5

Welcome to Huawei web page for network configuration.

User Name :

Password :



Log In

root

adminHW

ပထမဦးစွာ Advanced Configuration ကိုရွေးချယ်ပါ။

Advanced Configuration



စာမျက်နှာ ၆/၇

ဤသို့ရွေးချယ်ပြီးနောက် **WLAN** အတွင်းသို့ဝင်ရောက်၍ မိမိနှစ်သက်ရာ **wifi-name** နှင့် **password** ကိုရိုက်ထည့်ပြီး **Apply** နှိပ်ကာပြောင်းလဲအသုံးပြုနိုင်ပါပြီ။

မှတ်ချက်။ ။ **wi-fi password** သည်အနည်းဆုံး ၈ လုံးရှိရပါမည်။

WLAN → **WLAN**

Wi-fi name → **Mahar Net**

Wi-fi password → **11111111**

Apply

SSID Index	SSID Name	SSID Status	Number of Associated Devices	Broadcast SSID	Security Configuration
1	Mahar Net	Enabled	32	Enabled	Configured

SSID Configuration Details

SSID Name: Mahar Net (32 characters)

Enable SSID:

Number of Associated Devices: 32 (1-32)

Broadcast SSID:

Enable WMM:

Authentication Mode: WPA/WPA2 PreSharedKey

Encryption Mode: TKIP&AES

WPA PreSharedKey: 11111111 (8-63 characters or 64 hexadecimal)

WPA Group Key Regeneration Interval: 3600 (600-86400s)

Enable WPS:

WPS Mode: PBC

PBC: Start WPS

စာမျက်နှာ ၇/၇

အကယ်၍ မိမိတို့အသုံးပြုသော ဖုန်းအမျိုးအစားများသည် *Wireless 5G Network* အားချိတ်၍ ရပါက *5G Basic Network Setting* အတွင်းသို့ဝင်ရောက်၍ မိမိနှစ်သက်ရာ *wifi-name* နှင့် *password* ကိုရိုက်ထည့်ပြီး *Apply* နှိပ်ကာပြောင်းလဲအသုံးပြုနိုင်ပါပြီ။

5G Basic Network Setting

EG8145V5 Fast Setting | root | Logout

WAN

LAN

Security

Forward Rules

Application

WLAN

2.4G Basic Network...

2.4G Advanced Netw...

5G Basic Network S...

5G Advanced Networ...

Automatic WiFi Shu...

WiFi Coverage

System Management

Maintenance Diagno...

5G Basic Network Settings

On this page, you can set the basic parameters of 5 GHz wireless network(When the 5 GHz wireless network is disabled, this page is blank).

⚠ Caution:

1. Wireless network services may be interrupted temporarily after you modify wireless network parameters.
2. It is recommended that you use the WPA2 or WPA/WPA2 authentication mode for security purposes.

Enable WLAN

New Delete

SSID Index	SSID Name	SSID Status	Number of Associated Devices	Broadcast SSID	Security Configuration
5	Mahar Net 5GEnabled	Enabled	32	Enabled	Configured

SSID Configuration Details

SSID Name: Mahar Net 5G *

Enable SSID:

Number of Associated Devices: 32 *(1-32)

Broadcast SSID:

Enable WMM:

Authentication Mode: WPA/WPA2 PreSharedKey

Encryption Mode: TKIP&AES

WPA PreSharedKey: 11111111 (1-63 characters and 4 hexadecimal characters)

WPA Group Key Regeneration Interval: 3600 *(600-86400s)

Enable WPS:

WPS Mode: PBC

PBC: Start WPS

Apply Cancel

Wi-fi name

Wi-fi password

Apply